

INDIA'S #1 GENSET BRAND

SLIM POWER SERIES GENSET

5 - 12.5 kVA



The Complete Power Back-up Solution

EFFICIENCY HAS A NEW NAME

Kirloskar
GREEN

5 - 12.5 kVA

SPECIFICATIONS

	kVA	5	7.5	10	12.5
	kW	4	6	8	10
Genset Model		KG1-5AS3	KG1-7.5AS4	KG1-10AS5	KG1-12.5AS2
Frequency	Hz		50		
Power factor	lagging		0.8		
Voltage	V		230 (10) & 415 (30)		
Governing class (As per ISO 8528 Part-V)			G2		
Noise level	dBA		<75		
Fuel Consumption*	At 100% Load	Ltrs/Hr	1.6	2.2	3
	At 75% Load		1.3	1.6	2.4
	At 50% Load		1	1.2	1.8
Fuel tank capacity	Ltrs	50	50	40	40
Weight of Genset with canopy (approx.) [§]	Dry	Kg	610	620	640
	Wet	Kg	660	670	690
Overall dimensions of Genset [^]	Length	mm	1310	1310	1520
	Width	mm	810	810	820
	Height	mm	1600	1600	1600
Electrical Battery starting voltage	Volts-DC		12		

ENGINE

Engine Model		EA10 G1	EA10 G1	EA16G1	EA16G1
Rated output (Prime Continuous rating as per ISO 8528-1)	kW	7.3	7.3	11.8	11.8
	HP	10	10	16	16
Cooling System			Air		
No. of cylinder	Number	1	1	2	2
Cubic capacity	Ltrs	0.95	0.95	1.56	1.56
Bore x Stroke	mm	102x116	102x116	95x110	95x110
Rated Speed	RPM	1500	1500	1500	1500
Aspiration	NA/TC/TA	NA	NA	NA	NA
Lube Oil change period	hrs.		500 hrs.		
Lube oil Sump Capacity	Ltrs	5	5	5	5
Coolant Capacity	Ltrs	NA	NA	NA	NA

ALTERNATOR

Insulation Class			Class H	
Alternator Efficiency (at 100% load) 0.8 pf ^{**}	%	78.1	81.3	83.4
Max Voltage Dip at Full Load 0.8 pf Lag	%		< 20%	
Max Time to build up rated voltage at Rated RPM	< 5 sec provided engine reach the rated speed			

Notes

[^] Tolerances Apply

^{*} With 0.845 Specific Gravity of diesel (5% Tolerance)

[§] These Weight are for handling & transportation only, $\pm 5\%$ tolerance apply

^{**} Efficiency of Alternator as per standards IEC60034-1

For Site Conditions other than standard operating conditions consult Kirloskar Oil Engines for available prime power.


For intermediate ratings, kindly contact nearest Kirloskar office

Kirloskar Remote Monitoring (Optional)

Kirloskar iGreen gensets are enabled with Kirloskar remote monitoring system which shares Real Time Genset information and location Services. It can be accessed via mobile device or desktop.

Engine

- Industries most reliable engines, proven over decades
- Low emission, high efficiency engines
- Compact, robust and rugged design
- +500 hours lube-oil change period



Controller

- Microprocessor based with graphical LCD display
- Best in class monitoring and diagnostic capability
- Communication configuration enabled

Canopy

- Aesthetically designed canopy for enhanced product life and performance
- Weather and sound resistant enclosure
- Ease of access and serviceability
- Insulation confirms to UL94-HF1 class for flammability

Alternator

- Best in class efficiency
- Minimum harmonics interference
- Vacuum pressure impregnation
- Epoxy gel coating on the winding

EFFICIENCY. INTEGRATED

A KIRLOSKAR PROMISE

Efficient Products

- India's first IoT enabled digital genset
- Designed for convenient user experience
- Best-in-class fuel efficiency delivered
- Compact design & long life product
- Optimized consumption of lubricant oil
- Optimized total cost of ownership (TCO)
- All products tested before delivery

EFFICIENT PRODUCTS



EFFICIENT SOLUTIONS



Efficient Solutions

- Load sizing for every single genset order
- One stop power back-up solutions
- Serves complete application gamut
- Highly trained & experienced team
- Non-conventional solutions (bio-diesel)
- Specific solution for harsh environments
- Exhaust mgmt., foundation, cabling etc.

Efficient Service

- India's widest service dealer network
- Kirloskar connect-self-service application
- eFSR-Electronic field service report
- Over 6000 trained service engineers
- Over 600,000 machines under care
- 98%+ parts available at each outlet
- Flexible & economical AMC-Bandhan

EFFICIENT SERVICE



EFFICIENT NETWORK



Efficient Network

- Consistent, reliable & long-established
- 250+ expert touch points across India
- 500+ solution oriented professionals
- Uniform customer experience across
- Central system for enquiry to PRF
- Fair trade practices & Price transparency

Efficient Deliveries

- Cost-effective deliveries guaranteed
- Assured 7-day delivery of gensets
- Supports project management system
- Reduced working capital for customer
- Award-winning replenishment model
- Assurance of FRESH products always

EFFICIENT DELIVERIES



EFFICIENT 24X7 CARE



Efficient 24X7 Care

- 24 X 7 operational customer care centre
- Team of over 70 trained & focused exec.
- Tracking every service request till closure
- Centrally maintained CRM for all requests
- Satisfaction call after every SR closure
- Central sales lead tracking system
- Continuous NPS and CDI measurement

We offer products for every segment & take part in the India's growth story.



Infrastructure



Industry



IT/ITES



Hospitality



Health



Reality



Government



Logistics

kirloskar
Oil Engines



+91 738 990 5333

Mark bearing word 'Kirloskar' in any form as a suffix or prefix is owned by Kirloskar Proprietary L td. and Kirloskar Oil Engines Ltd. is the Permitted User. This Catalog is copyrighted and may not be reproduced in any form not even parts of it, without previous written permission by copyright owners, Kirloskar Oil Engines L td. Product improvement is a continuous process. Kindly contact Kirloskar for latest information. Images are for illustration purposes only.

EKTELON ENGINEERING AND PROJECTS PRIVATE LIMITED

A16-SCHEME 78, PART I, DEWAS NAKA, INDORE 453771
MADHYA PRADESH, INDIA

CONTACT - +91 738 990 7333 | 738 990 7144
EMAIL - sale@ektelonindia.in
WEB - <http://ektelonairpower.in>